

SEQUENCE LISTING

09/486623

<110> Nielsen, Peter E

<120> Peptide Nucleic Acids Having Antibacterial Activity

<130> ISIS3292

<140> PCT/US98/19199

<141> 1998-09-16

<150> 08/932,140

<151> 1997-09-16

<160> 27

<170> PatentIn Ver. 2.1

<210> 1

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide

<400> 1

tgaccatgat tacg

14

<210> 2

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide

<400> 2

tacgtgtttc ctgtgtg

17

<210> 3

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide

<400> 3

gagtattcaa catttcc

17

<210> 4

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide

<400> 4

attgtcttcc tttttca

17

<210> 5

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(14)

<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc_feature

<222> (15)

<223> Modified site. N - [acetyl (2-aminoethy)] -C-lysine-glycine backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 5

ggtcatagct gtttc

15

<210> 6

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 6
tactcatact cttcc

15

<210> 7
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 7
gaatactcat actct

15

<210> 8
<211> 15
<212> DNA
<213> Artificial Sequence

<220>

<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 8
acgccacatc ttcgc

15

<210> 9
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (2)..(4)
<223> Modified Site. N-pseudo isocytosine-acetyl
(2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (5)..(6)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (7)
<223> Modified Site. N-pseudo isocytosine-acetyl
(2-aminoethyl) glycine backbone

<220>

<221> misc_feature
<222> (8)
<223> Modified Site.
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-
 aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
 lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 9
tnnnttnnct tccct

15

<210> 10
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)
<223> Modified Site. N-pseudo isocytosine-acetyl
 (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (2)..(4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
<221> misc_feature
<222> (5)..(6)
<223> Modified Site. N-pseudo isocytosine-acetyl
 (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (7)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (8)
<223> Modified Site.
(O-2-aminoethyl-O'-acetyl-ethyleneglycol),
(O-2-aminoethyl-O'-acetyl-ethyleneglycol),
(O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<223> Description of Artificial Sequence: Peptide

<400> 10
ntttntntc ctttc

15

<210> 11
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 11
cataactcttt ctctt

15

<210> 12
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(2)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (3)
<223> Modified Site. N-pseudo isocytosine-acetyl
(2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (5)..(7)
<223> Modified Site. N-pseudo isocytosine-acetyl
(2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (8)..(10)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (11)
<223> Modified Site. N-pseudo isocytosine-acetyl
(2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (12)

<223> Modified Site.
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
 <221> misc_feature
 <222> (13)..(24)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
 <221> misc_feature
 <222> (25)
 <223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
 lysine-glycine backbone

<220>
 <223> Description of Artificial Sequence: Peptide

<400> 12
 ttntnnnttt ntntctttcc gtctt

<210> 13
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> misc_feature
 <222> (1)
 <223> Modified Site. N-pseudo isocytosine-acetyl
 (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (2)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
 <221> misc_feature
 <222> (3)
 <223> Modified Site. N-pseudo isocytosine-acetyl
 (2-aminoethyl) glycine backbone

<220>

25


```

<221> misc_feature
<222> (4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
        backbone

<220>
<221> misc_feature
<222> (5)..(6)
<223> Modified Site. N-pseudo isocytosine-acetyl
        (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (7)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
        backbone

<220>
<221> misc_feature
<222> (8)
<223> Modified Site.
        (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
        (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
        (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
        backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- {acetyl (2-aminoethyl) } -C-
        lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 13
ntntnntntc ctctc

```

15

```

<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence

```

<220>
<221> misc_feature
<222> (1)..(11)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (12)
<223> Modified Site. N-[acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 14
cccctattgt cc

12

<210> 15
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(11)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (12)
<223> Modified Site. N-[acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 15
ttctgccttt ct

12

<210> 16
<211> 8
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(7)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (8)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 16
ctcgaggt

8

<210> 17
<211> 5
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (5)
<223> Modified Site. N-[acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 17
taaac

5

<210> 18
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
 <221> misc_feature
 <222> (1)..(9)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
 <221> misc_feature
 <222> (10)
 <223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
 lysine-glycine backbone

<220>
 <223> Description of Artificial Sequence: Peptide

<400> 18
 aaggaggtga

10

<210> 19
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> misc_feature
 <222> (1)..(7)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
 <221> misc_feature
 <222> (8)
 <223> Modified Site. (O-2-aminoethyl -O'-
 acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
 <221> misc_feature
 <222> (9)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine
 backbone

<220>
 <221> misc_feature
 <222> (15)

<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-lysine-glycine backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 19

tctctttntt tctct

15

<210> 20

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc_feature

<222> (2)

<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc_feature

<222> (3)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc_feature

<222> (5)..(7)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc_feature

<222> (8)

<223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethylene glycol), (O-2-aminoethyl-O'-acetyl-ethylene glycol), (O-2-aminoethyl-O'-acetyl-ethylene glycol)

<220>

<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 20
tntntttntt tctct

15

<210> 21
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 21
aggtgtcagc gaacg

15

<210> 22
<211> 15
<212> DNA
<213> Artificial Sequence

<220>

<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2- aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (15)
<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 22
ctttgtcgat actgg

15

<210> 23
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>
<223> Description of Artificial Sequence: Peptide

<400> 23
gtcatagctg tttc

14

<210> 24
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)..(11)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 24

catagctggtt c

11

<210> 25

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(10)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 25

tagctgtttc

10

<210> 26

<211> 8

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(8)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 26

gctgtttc

8

<210> 27

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(14)

<223> Modified Site. N-acetyl (2-aminoethyl) glycine
backbone

<220>

<221> misc_feature

<222> (15)

<223> Modified Site. N- [acetyl (2-aminoethyl)] -C-
lysine-glycine backbone

<220>

<223> Description of Artificial Sequence: Peptide

<400> 27

acattcacca ccctg

15

acattcacca ccctg